

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[jeffswearingen@gmail.com](#) | [Scholar Preferences](#) | [My Account](#) | [Sign out](#)

user customized web filter

[Advanced Scholar Search](#)

Method for providing customized Web information based on attributes of the requester

SJ Link - US Patent 6,138,142, 2000 - Google Patents

... FIG. 4 shows a representative extended IP address indicating that the user is from France. ... In a specific embodiment, a web server generates HTML pages including customized advertisements for a client system running a browser. ...

Cited by 47 - [Related articles](#) - [All 2 versions](#)

Automating the internet: Agents as user surrogates

B Kruhwich - *Internet Computing*, IEEE, 1997 - [ieeeexplore.ieee.org](#)

... These agents access pages or forms, gather information into customized reports, and utilize arbitrary Java code as needed. ... The same user action, for example, could be understood as clicking on the fifth link on the page, or the link with the word "profile" in ... Web AgentSoft proxy ...

Cited by 51 - [Related articles](#) - [All 6 versions](#)

System for generation of user profiles for a system for customized electronic identification of desirable objects

FSM Herz, JM Eisner, LH Ungar - US Patent 5,754,099, 1996 - Google Patents

... The system then evaluates the target profiles against the users' target profile interest summaries to generate a user-customized rank ordered listing of target objects most likely to be of interest to each user so that the user can select from among these potentially relevant target ...

Cited by 50 - [Related articles](#) - [All 2 versions](#)

Automatic personalization based on Web usage mining

B Mobasher, R Cooley - *Communications of the ACM*, 2000 - [portal.acm.org](#)

... making the presentation more pleasing to anticipating the needs of a user and providing customized information. ... of this article, however, we focus on server sessions as the units of user activity to ... an interesting area of research in its own right, in the context of Web Usage Mining ...

Cited by 670 - [Related articles](#) - [All 31 versions](#)

[\[PDF\] from psu.edu](#)

Text-learning and related intelligent agents: a survey

D Mladenic - *Intelligent Systems and their Applications*, IEEE, 1999 - [ieeeexplore.ieee.org](#)

... 11, No. 5, 1997, pp. 413-435. K. Lang, "News Weeder: Learning to Filter Netnews," *Proc. 12th Int'l Conf.* This model is used to give advice for hyperlinks on retrieved

NTML-games registral by and presented to the user via Web browser. ...

Cited by 299 - [Related articles](#) - [All 12 versions](#)

Scalable computing system for presenting customized aggregation of information

S Kataria - US Patent App. 09/204,592, 1998 - Google Patents

... In another embodiment, each web server has an aggregation module, such as an Internet Server API (ISAPI) filter, that retrieves user-specific data from the personalization store and ... The aggregation module negotiates the layout of customized pages for each user based on ...

Cited by 51 - [Related articles](#) - [All 3 versions](#)

The use of customized emphasis in text visualization

U Marner - iv, 1997 - [computer.org](#)

... I have experimented with two methods for implementing customized emphasis. The first involves a stand-alone program that the user triggers to emphasize a document, and the second transparently emphasizes every web document as it is shown. ...

Cited by 23 - [Related articles](#) - [All 5 versions](#)

Customized metadata for Internet information

B Dunkel, N Soparkar - *Based Intelligent Electronic*, 1997 - [ieeeexplore.ieee.org](#)

... b 2 database schema and metadata Figure 1: Problems for non-customized Internet indexes population Dictionary 1 Key: Filter-defined URL field names ... Filters Database User Interface Webcrawler ... 1 Component 1 Function 1 Search Control 1 Strategies for crawling the web. 1 ...

Cited by 15 - [Related articles](#) - [All 5 versions](#)

[\[PDF\] from psu.edu](#)

[PDF] A system architecture for intelligent browsing on the web

H Lau - *Decision Support Systems*, 2000 - [cs.pu.edu.tw](#)

... That is, Tornado would be initiated. The result is presented to the user. 4.3.2. Customized agent On the Fu-Wen Web site, we presented ten to twelve new books to all users every week. There would be two to five homepages of detailed information for each new book. ...

Cited by 22 - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

[\[PDF\] from psu.edu.tw](#)

[PDF] Data filter architecture pattern

R. Flinders... - *Sin Conference on Pattern Languages of ...* - 1999 - Citeseer

[\[PDF\] from psu.edu](#)

... In an Object Web-based version the Distributed Data Filter databases would be separate objects ...

The two tiers of Filter Server Objects bridge the Address Spaces to provide a seamless acquisition of data from a content provider data server to a user customized local environment ...

[Cited by 7](#) - [Retrieved articles](#) - [View as HTML](#) - [All 7 versions](#)

[Create email alert](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

user customized web filter

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google